



B.E. CIVIL ENGINEERING FOURTH YEAR FIRST SEMESTER SUPPLEMENTARY EXAM 2024
Theory of Structures-III

Time: Three Hours

(50 Marks for each Part)

Full Marks 100

Use a separate Answer-Script for each part
 [No code or handbook is allowed]

No. of questions	Part I (answer all questions) (Answer 1,2, and 3)-CO-3 Answer any two from 4,5, and 6)-CO-4	Marks (50)
1 (CO-3)	Derive stiffness matrix of beam element.	(7)
2 (CO-3)	Find the BM diagram of the beam by Flexibility method 	(10)
3 (CO-3)	Draw the B.M, of the following beam by stiffness method. M25 grade of concrete. $I=0.0864 \text{ m}^4$. 	(17)
4 (CO-4)	Vibrating system consisting of weight of $W=15 \text{ kg}$ and a spring stiffness $k=10 \text{ N/m}$ is viscously damped so that the ratio of two consecutive amplitude is 1 to 0.85. Determine (a) the natural frequency of undamped system (b) logarithmic decrement (c) damping ratio (d) damping coefficient and (e) the damped natural frequency.	(8)
5 (CO-4)	Derive the expression of dynamic magnification factor of a damped harmonic excitation of a SDOF.	(8)
6 (CO-4)	Derive mathematical expression and give example of critical, undamped and overdamped system.	(8)

B.E. CIVIL ENGINEERING 4th YEAR 1st SEMESTER SUPPLEMENTARY EXAM 2024

Subject: THEORY OF STRUCTURES -III PART -II TIME:3HRS Full Marks: 100
(50 Marks)

(50 marks for each part)

Use Separate Answer scripts for each Group / part
Assume necessary data if required

1.	<p style="text-align: right;">CO1</p> <p>a) A two hinged parabolic arch of span 75 m and rise 7.5 m carries a point load 90 kN at a distance of 20 m from the left support. Find the horizontal thrust at each support. Find also the maximum bending moment. (prof is not required)</p> <p>b) A two hinged semicircular arch of radius $R=10$ m. It carries a point load 80 kN at the crown. Find the horizontal thrust at each support. Find also the vertical deflection of the crown under the load. Assume uniform flexural rigidity (EI). (Prove all the necessary formulas).</p>	<p>13+17=30</p>
2.	<p style="text-align: right;">CO2</p> <p>A three-hinge stiffening girder of a suspension bridge of span 100 meter is subjected to two-point loads of 250 kN and 350 kN at a distance 25 meter and 75 meter from the left end. Find the shear force and bending moment for the girder at a distance of 45 meter from the left end. The supporting cable has a central dip of 10 meter. Find also the maximum tension in the cable and draw the bending moment diagram.</p>	<p>20</p>