MASTER OF ARTS EXAMINATION, 2024

(1st Year, 2nd Semester)

DEPARTMENT OF SOCIOLOGY

[Social Statistics]

Time: Two Hours Full Marks: 30

Answer any two questions.

1a. Why do sociologists use social statistics?	(5)
b. Differentiate between the following pair of words	(4)
sample-population	
statistic-parameter	
c. To describe a distribution, why is information on dispersion of scores required along	g with
measure of central tendency. Discuss with an example.	(4)
d. Define skewness.	(2)

(5) (5) 2.a What are the purposes of drawing a scatter diagram? b. Draw and inspect the scatter diagram.

Hours of study	exam score	
2	53	
4.5	35	
5	91	
5	72	
6	60	
3	62	
10	85	
9.5	78	
8	99.	

c. The following shows scores on social statistics exam and college grade point averages. What is the relationship between the two variables?

Student Score on social statistics Grade point average exam Α 90 2.50 В 85 2.00 C 80 2.50 D 75 2.00 Ε 70 1.50 F 70 1.00 G 70 1.00 Н 60 .50 60 .50 50 .50

3. How is the width of interval estimates controlled?

(2)

b It is known that, nationally, doctors working for health maintenance organizations (HMOs) average 13.5 years of experience in their specialties, with a standard deviation of 7.6 years. The executive director of an HMO in a Western state is interested in determining whether or not its doctors have less experience than the national average. A random sample of 150 doctors from HMOs shows a mean of only 10.9 years of experience.

- 1. State the research and the null hypotheses to test whether or not doctors in this HMO have less experience than the national average.
- 2. Using an alpha level of .01, calculate this test.

(5)

c. In a certain school district, a random sample of 225 parents of school-age children was drawn from a population of about 75,000 such parents to observe perception of children's performance and who they thought were responsible. Two simple questions were asked of the sample parents:

- 1. Is your child performing below standard on the exams?
- 2. Who do you feel is responsible for the performance of students?

 Do the two sets of parents have different beliefs with respect to who is responsible for the performance of their children? Interpret the result taking alpha at .05 and .01. (5+3)

Children performing below standard

Who is most responsible for children's performance	Yes	No	Total
Child	40	45	85
Parent	35	48	83
School	10	47	57
Total	85	140	225

- 4.a The standardized IQ test is described as a normal distribution with 100 as the mean score and a 15-point standard deviation. (6)
- i. What is the Z score for a score of 150?
- ii. What percentage of scores are above 150?
- iii. What percentage of scores fall between 85 and 150?
- b. A hypothesis about the relationship between caste and education in the general population is stated by comparing the mean educational attainment of upper castes with the mean educational attainment of lower castes. Using data from the 2024 General Social Survey (GSS), the following data on education is given.

Years of Education for upper and lower caste people GSS 2024

	Upper castes	Lower castes
Mean	13.88	13.00
Standard Deviation	2.99	2.28
total	445	88

Is there a difference in educational attainment? Interpret your findings.

Appendix A


Area Under the Normal Curve

Column (a) lists Z scores from 0.00 to 4.00. Only positive scores are displayed, but, since the normal curve is symmetrical, the areas for negative scores will be exactly the same as areas for positive scores. Column (b) lists the proportion of the total area between the Z score and the mean. Figure A.1 displays areas of this type. Column (c) lists the proportion of the area beyond the Z score, and Figure A.2 displays this type of area.

FIGURE A.1 AREA BETWEEN MEAN AND Z

b b

FIGURE A.2 AREA BEYOND Z



(a)	(b) Area Between	(c) Area Beyond	(a)	(b) Area Between	(c) Area Beyond
Z	Mean and Z	Z	<u>Z</u>	Mean and Z	Z
0.00 0.01 0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.10	0.0000 0.0040 0.0080 0.0120 0.0160 0.0199 0.0239 0.0279 0.0319 0.0359 0.0398	0.5000 0.4960 0.4920 0.4880 0.4840 0.4801 0.4761 0.4721 0.4681 0.4641	0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.30	0.0832 0.0871 0.0910 0.0948 0.0987 0.1026 0.1064 0.1103 0.1141 0.1179	0.4168 0.4129 0.4090 0.4052 0.4013 0.3974 0.3936 0.3897 0.3859 0.3821
0.11 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.19 0.20	0.0438 0.0478 0.0517 0.0557 0.0596 0.0636 0.0675 0.0714 0.0753 0.0793	0.4562 0.4522 0.4483 0.4443 0.4404 0.4364 0.4325 0.4286 0.4247 0.4207	0.31 0.32 0.33 0.34 • 0.35 0.36 0.37 0.38 0.39 0.40	0.1217 0.1255 0.1293 0.1331 0.1368 0.1406 0.1443 0.1480 0.1517 0.1554	0.3783 0.3745 0.3707 0.3669 0.3632 0.3594 0.3557 0.3520 0.3483 0.3446

APPENDIX A

(a)	(b) Area Between	(c) Area Beyond	(a)	(b) Area Between	(c) Area Beyond
	Mean and Z	Z		Mean and Z	Z
0.41 0.42 0.43 0.44	0.1591 0.1628 0.1664 0.1700	0.3409 0.3372 0.3336 0.3300	0.96 0.97 0.98 0.99 1.00	0.3315 0.3340 0.3365 0.3389 0.3413	0.1685 0.1660 0.1635 0.1611 0.1587
0.45 0.46 0.47 0.48 0.49 0.50	0.1736 0.1772 0.1808 0.1844 0.1879 0.1915	0.3264 0.3228 0.3192 0.3156 0.3121 0.3085	1.01 1.02 1.03 1.04 1.05 1.06	0.3438 0.3461 0.3485 0.3508 0.3531 0.3554	0.1562 0.1539 0.1515 0.1492 0.1469 0.1446
0.51 0.52 0.53 0.54 0.55	0.1950 0.1985 0.2019 0.2054 0.2088	0.3050 0.3015 0.2981 0.2946 0.2912	1.07 1.08 ⁴ 1.09 1.10	0.3577 0.3599 0.3621 0.3643 0.3665	0.1423 0.1401 0.1379 0.1357 0.1335
0.56 0.57 0.58 0.59 0.60	0.2123 0.2157 0.2190 0.2224 0.2257	0.2877 0.2843 0.2810 0.2776 0.2743	1.12 1.13 1.14 1.15 1.16	0.3686 0.3708 0.3729 0.3749 0.3770	0.1314 0.1292 0.1271 0.1251 0.1230
0.61 0.62 0.63 0.64 0.65 0.66	0.2291 0.2324 0.2357 0.2389 0.2422 0.2454	0.2709 0.2676 0.2643 0.2611 0.2578 0.2546	1.17 1.18 1.19 1.20 1.21	0.3790 0.3810 0.3830 0.3849 0.3869	0.1210 0.1190 0.1170 0.1151 0.1131
0.67 0.68 0.69 0.70	0.2486 0.2517 0.2549 0.2580	0.2514 0.2483 0.2451 0.2420	1.22 1.23 1.24 1.25 1.26	0.3888 0.3907 0.3925 0.3944 0.3962	0.1112 0.1093 0.1075 0.1056 0.1038
0.71 0.72 0.73 0.74 0.75	0.2611 0.2642 0.2673 0.2703 0.2734	0.2389 0.2358 0.2327 0.2297 0.2266	1.27 1.28 1.29 1.30 1.31	0.3980 0.3997 0.4015 0.4032	0.1020 0.1003 0.0985 0.0968
0.76 0.77 0.78 0.79 0.80	0.2764 0.2794 0.2823 0.2852 0.2881	0.2236 0.2206 0.2177 0.2148 0.2119	1.32 1.33 1.34 1.35 1.36	0.4049 0.4066 0.4082 0.4099 0.4115 0.4131	0.0951 0.0934 0.0918 0.0901 0.0885 0.0869
0.81 0.82 0.83 0.84 0.85	0.2910 0.2939 0.2967 0.2995 0.3023	0.2090 0.2061 0.2033 0.2005 0.1977	1.37 1.38 1.39 1.40	0.4147 0.4162 0.4177 0.4192	0.0853 0.0838 0.0823 0.0808
0.86 0.87 0.88 0.89 0.90	0.3051 0.3078 0.3106 0.3133 0.3159	0.1949 0.1922 0.1894 0.1867 0.1841	1.41 1.42 1.43 1.44 1.45 1.46	0.4207 0.4222 0.4236 0.4251 0.4265 0.4279	0.0793 0.0778 0.0764 0.0749 0.0735 0.0721
0.91 0.92 0.93 0.94 0.95	0.3186 0.3212 0.3238 0.3264 0.3289	0.1814 0.1788 0.1762 0.1736 0.1711	1.47 1.48 1.49 1.50	0.4292 0.4306 0.4319 0.4332	0.0708 0.0694 0.0681 0.0668

AREA UNDER THE NORMAL CURVE

(a)	(b) Area Between	(c) Area Beyond	(a)	(b) Area Between	(c) Area Beyond
Z	Mean and Z		Z	Mean and Z	
1.51	0.4345	0.0655	2.06	0.4803	0.0197
1.52	0.4357	0.0643	2.07	0.4808	0.0192
1.53	0.4370	0.0630	2.08	0.4812	0.0188
1.54	0.4382	0.0618	2.09	0.4817	0.0183
1.55	0.4394	0.0606	2.10	0.4821	0.0179
1.56	0.4406	0.0594	2.11	0.4826	0.0174
1.57	0.4418	0.0582	2.12	0.4830	0.0170
1.58	0.4429	0.0571 0.0559	2.13	0.4834	0.0166
1.59 1.60	0.4441 0.4452	0.0559	2.14	0.4838	0.0162
			2.15	0.4842	0.0158
1.61	0.4463	0.0537	2.16	0.4846	0.0154
1.62	0.4474	0.0526	2.17	0.4850	0.0150
1.63	0.4484	0.0516	2.18	0.4854	0.0146
1.64	0.4495	0.0505	2.19	0.4857	0.0143
1.65	0.4505	0.0495	2.20	0.4861	0.0139
1.66 1.67	0.4515	0.0485	2.21	0.4864	0.0136
1.68	0.4525 0.4535	0.0475 0.0465	2.22	0.4868	0.0132
1.69	0.4545	0.0465	2.23	0.4871	0.0129
1.70	0.4554	0.0446	2.24	0.4875	0.0125
			2.25	0.4878	0.0122
1.71	0.4564	0.0436	2.26	0.4881	0.0119
1.72	0.4573	0.0427	2.27	0.4884	0.0116
1.73	0.4582	0.0418	2.28	0.4887	0.0113
1.74	0.4591	0.0409	2.29	0.4890	0.0110
1.75 1.76	0.4599 0.4608	0.0401 0.0392	2.30	0.4893	0.0107
1.77	0.4616	0.0384	2.31	0.4896	0.0104
1.78	0.4625	0.0375	2.32	0.4898	0.0102
1.79	0.4633	0.0367	2.33	0.4901	0.0099
1.80	0.4641	0.0359	2.34	0.4904	0.0096
			2.35	0.4906	0.0094
1.81 1.82	0.4649 0.4656	0.0351 0.0344	2.36 2.37	0.4909	0.0091
1.83	0.4664	0.0336	2.38	0.4911 0.4913	0.0089 0.0087
1.84	0.4671	0.0329	2.39	0.4916	0.0084
1.85	0.4678	0.0322	2.40	0.4918	0.0082
1.86	0.4686	0.0314			
1.87	0.4693	0.0307	2.41	0.4920	0.0080
1.88	0.4699	0.0301	2.42	0.4922	0.0078
1.89	0.4706	0.0294	2.43	0.4925	0.0075
1.90	0.4713	0.0287	2.44 2.45	0.4927	0.0073
1.91	0.4719	0.0281	2.46	0.4929 0.4931	0.0071 0.0069
1.92	0.4726	0.0274	2.47	0.4932	0.0069
1.93	0.4732	0.0268	2.48	0.4934	0.0066
1.94	0.4738	0.0262	2.49	0.4936	0.0064
1.95	0.4744	0.0256	2.50	0.4938	0.0062
1.96	0.4750	0.0250			
1.97	0.4756	0.0244	2.51	0.4940	0.0060
1.98	0.4761	0.0239	2.52 2.53	0.4941 0.4943	0.0059 0.0057
1.99	0.4767	0.0233	2.54	0.4945	0.0057
2.00	0.4772	0.0228	2.55	0.4946	0.0053
2.01	0.4778	0.0222	2.56	0.4948	0.0054
2.02	0.4783	0.0217	2.57	0.4949	0.0051
2.03	0.4788	0.0212	2.58	0.4951	0.0049
2.04	0.4793	0.0207	2.59	0.4952	0.0048
2.05	0.4798	0.0202	2.60	0.4953	0.0047

APPENDIX A

(a) <i>Z</i>	(b) Area Between Mean and <i>Z</i>	(c) Area Beyond <i>Z</i>	(a) <i>Z</i>	(b) Area Between Mean and <i>Z</i>	(c) Area Beyond <i>Z</i>
2.61 2.62 2.63 2.64 2.65 2.66 2.67 2.68 2.69 2.70	0.4955 0.4956 0.4957 0.4959 0.4960 0.4961 0.4962 0.4963 0.4964 0.4965	0.0045 0.0044 0.0043 0.0041 0.0040 0.0039 0.0038 0.0037 0.0036 0.0035	3.11 3.12 3.13 3.14 3.15 3.16 3.17 3.18 3.19 3.20	0.4991 0.4991 0.4991 0.4992 0.4992 0.4992 0.4992 0.4993 0.4993 0.4993	0.0009 0.0009 0.0008 0.0008 0.0008 0.0008 0.0007 0.0007
2.71 2.72 2.73 2.74 2.75 2.76 2.77 2.78 2.79 2.80	0.4966 0.4967 0.4968 0.4969 0.4970 0.4971 0.4972 0.4973 0.4974	0.0034 0.0033 0.0032 0.0031 0.0030 0.0029 0.0028 0.0027 0.0026 0.0026	3.21 3.22 3.23 3.24 3.25 3.26 3.27 3.28 3.29 3.30	0.4993 0.4994 0.4994 0.4994 0.4994 0.4995 0.4995 0.4995	0.0007 0.0006 0.0006 0.0006 0.0006 0.0005 0.0005 0.0005
2.81 2.82 2.83 2.84 2.85 2.86 2.87 2.88 2.89 2.90	0.4975 0.4976 0.4977 0.4977 0.4978 0.4979 0.4980 0.4981 0.4981	0.0025 0.0024 0.0023 0.0023 0.0022 0.0021 0.0021 0.0020 0.0019 0.0019	3.31 3.32 3.33 3.34 3.35 3.36 3.37 3.38 3.39 3.40	0.4995 0.4996 0.4996 0.4996 0.4996 0.4996 0.4997 0.4997	0.0005 0.0005 0.0004 0.0004 0.0004 0.0004 0.0004 0.0003 0.0003
2.91 2.92 2.93 2.94 2.95 2.96 2.97 2.98 2.99 3.00	0.4982 0.4983 0.4984 0.4984 0.4985 0.4985 0.4986 0.4986	0.0018 0.0018 0.0017 0.0016 0.0016 0.0015 0.0014 0.0014	3.41 3.42 3.43 3.44 3.45 3.46 3.47 3.48 3.49 3.50	0.4997 0.4997 0.4997 0.4997 0.4997 0.4997 0.4997 0.4998 0.4998	0.0003 0.0003 0.0003 0.0003 0.0003 0.0003 0.0003 0.0002 0.0002
3.01 3.02 3.03 3.04 3.05 3.06 3.07 3.08 3.09 3.10	0.4987 0.4987 0.4988 0.4988 0.4989 0.4989 0.4989 0.4990 0.4990	0.0013 0.0013 0.0012 0.0012 0.0011 0.0011 0.0011 0.0010 0.0010	3.60 3.70 3.80 3.90 4.00	0.4998 0.4999 0.4999 0.4999 0.4999	0.0002 0.0001 0.0001 <0.0001 <0.0001

Appendix B

Distribution of t

Use this table to find the critical region (step 3 of the five-step model) for tests of significance with sample means when sample size (N) is small. First, choose an alpha level and a one- or two-tailed test. Then find degrees of freedom to find the t score that marks the beginning of the critical region.

		Lev	vel of Significa	nce for One-Ta	ailed Test	
Degrees	.10	.05	.025	.01	.005	.0005
of Freedom		Lev	el of Significa	nce for Two-Ta	ailed Test	
(df)	.20	.10	.05	.02	.01	.001
1	3.078	6.314	12.706	31.821	63.657	636.619
2	1.886	2.920	4.303	6.965	9.925	31.598
3	1.638	2.353	3.182	4.541	5.841	12.941
4	1.533	2.132	2.776	3.747	4.604	8.610
5	1.476	2.015	2.571	3.365	4.032	6.859
6 /	1.440	1.943	2.447	3.143	3.707	5.959
7	1.415	1.895	2.365	2.998	3.499	5.405
8	1.397	1.860	2.306	2.896	3.355	5.041
9	1.383	1.833	2.262	2.821	3.250	4.781
10	1.372	1.812	2.228	2.764	3.169	4.587
11	1.363	1.796	2.201	2.718	3.106	4.437
12	1.356	1.782	2.179	2.681	3.055	4.318
13	1.350	1.771	2.160	2.650	3.012	4.221
14	1.345	1.761	2.145	2.624	2.977	4.140
15	1.341	1.753	2.131	2.602	2.947	4.073
16	1.337	1.746	2.120	2.583	2.921	4.015
17	1.333	1.740	2.110	2.567	2.898	3.965
18	1.330	1.734	2.101	2.552	2.878	3.922
19	1.328	1.729	2.093	2.539	2.861	3.883
20	1.325	1.725	2.086	2.528	2.845	3.850
21	1.323	1.721	2.080	2.518	2.831	3.819
22	1.321	1.717	2.074	2.508	2.819	3.792
23	1.319	1.714	2.069	2.500	2.807	3.767
24	1.318	1.711	2.064	2.492	2.797	3.745
25	1.316	1.708	2.060	2.485	2.787	3.725
26	1.315	1.706	2.056	2.479	2.779	3.707
27	1.314	1.703	2.052	2.473	2.771	3.690
28	1.313	1.701	2.048	2.467	2.763	3.674
29	1.311	1.699	2.045	2.462	2.756	3.659
30	1.310	1:697	2.042	2.457	2.750	3.646
40	1.303	1.684	2.021	2.423	2.704	3.551
60	1.296	1.671	2.000	2.390	2.660	3.460
120	1,289	1.658	1.980	2.358	2.617	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.291

Source: Table III of Fisher and Yates: Statistical Tables for Biological, Agricultural and Medical Research, published by Longman Group Ltd., London (1974), 6th edition (previously published by Oliver & Boyd Ltd., Edinburgh).

Appendix C

Distribution of Chi Square

Use this table to find the critical region (step 3 of the five-step model) for tests of significance with chi square. Choose an alpha level and find the degrees of freedom to find the chi square score that marks the beginning of the critical region.

df	.99	.98	.95	.90	.80	.70	.50	.30	.20	.10	.05	.02	.01	.001
1 2 3 4 5	.0 ³ 157 .0201 .115 .297 .554	.0³628 .0404 .185 .429	.00393 .103 .352 .711 1.145	.0158 .211 .584 1.064 1.610	.0642 .446 1.005 1.649 2.343	.148 .713 1.424 2.195 3.000	.455 1.386 2.366 3.357 4.351	1.074 2.408 3.665 4.878 6.064	1.642 3.219 4.642 5.989 7.289	2.706 4.605 6.251 7.779 9.236	3.841 5.991 7.815 9.488 11.070	5.412 7.824 9.837 11.668 13.388	6.635 9.210 11.341 13.277 15.086	10.827 13.815 16.268 18.465 20.517
6	.872	1.134	1.635	2.204	3.070	3.828	5.348	7.231	8.558	10.645	12.592	15.033	16.812	22.457
7	1.239	1.564	2.167	2.833	3.822	4.671	6.346	8.383	9.803	12.017	14.067	16.622	18.475	24.322
8	1.646	2.032	2.733	3.490	4.594	5.527	7.344	9.524	11.030	13.362	15.507	18.168	20.090	26.125
9	2.088	2.532	3.325	4.168	5.380	6.393	8.343	10.656	12.242	14.684	16.919	19.679	21.666	27.877
10	2.558	3.059	3.940	4.865	6.179	7.267	9.342	11.781	13.442	15.987	18.307	21.161	23.209	29.588
11	3.053	3.609	4.575	5.578	6.989	8.148	10.341	12.899	14.631	17.275	19.675	22.618	24.725	31.264
12	3.571	4.178	5.226	6.304	7.807	9.034	11.340	14.011	15.812	18.549	21.026	24.054	26.217	32.909
13	4.107	4.765	5.892	7.042	8.634	9.926	12.340	15.119	16.985	19.812	22.362	25.472	27.688	34.528
14	4.660	5.368	6.571	7.790	9.467	10.821	13.339	16.222	18.151	21.064	23.685	26.873	29.141	36.123
15	5.229	5.985	7.261	8.547	10.307	11.721	14.339	17.322	19.311	22.307	24.996	28.259	30.578	37.697
16	5.812	6.614	7.962	9.312	11.152	12.624	15.338	18.418	20.465	23.542	26.296	29.633	32.000	39.252
17	6.408	7.255	8.672	10.085	12.002	13.531	16.338	19.511	21.615	24.769	27.587	30.995	33.409	40.790
18	7.015	7.906	9.390	10.865	12.857	14.440	17.338	20.601	22.760	25.989	28.869	32.346	34.805	42.312
19	7.633	8.567	10.117	11.651	13.716	15.352	18.338	21.689	23.900	27.204	30.144	33.687	36.191	43.820
20	8.260	9.237	10.851	12.443	14.578	16.266	19.337	22.775	25.038	28.412	31.410	35.020	37.566	45.315
21	8.897	9.915	11.591	13.240	15.445	17.182	20.337	23.858	26.171	29.615	32.671	36.343	38.932	46.797
22	9.542	10.600	12.338	14.041	16.314	18.101	21.337	24.939	27.301	30.813	33.924	37.659	40.289	48.268
23	10.196	11.293	13.091	14.848	17.187	19.021	22.337	26.018	28.429	32.007	35.172	38.968	41.638	49.728
24	10.856	11.992	13.848	15.659	18.062	19.943	23.337	27.096	29.553	33.196	36.415	40.270	42.980	51.179
25	11.524	12.697	14.611	16.473	18.940	20.867	24.337	28.172	30.675	34.382	37.652	41.566	44.314	52.620
26	12.198	13.409	15.379	17.292	19.820	21.792	25.336	29.246	31.795	35.563	38.885	42.856	45.642	54.052
27	12.879	14.125	16.151	18.114	20.703	22.719	26.336	30.319	32.912	36.741	40.113	44.140	46.963	55.476
28	13.565	14.847	16.928	18.939	21.588	23.647	27.336	31.391	34.027	37.916	41.337	45.419	48.278	56.893
29	14.256	15.574	17.708	19.768	22.475	24.577	28.336	32.461	35.139	39.087	42.557	46.693	49.588	58.302
30	14.953	16.306	18.493	20.599	23.364	25.508	29.336	33.530	36.250	40.256	43.773	47.962	50.892	59.703

Source: Table IV of Fisher and Yates: Statistical Tables for Biological, Agricultural and Medical Research, published by Longman Group Ltd., London (1974), 6th edition (previously published by Oliver & Boyd Ltd., Edinburgh). Reprinted by permission of Addison Wesley Longman Ltd.

Apjendix D

Distribution of F

Use this table to find the critical region (step 3 of the five-step model) for analysis of variance tests. Choose an alpha level of either 0.05 or 0.01 and then find the degrees of freedom to find the F ratio that marks the beginning of the critical region.

					p = .0	5				
n ₁ n ₂	12	-2	3	4	5	6	8	12	24	&
1	161.4	199.5	215.7	224.6	230.2	234.0	238.9	243.9	249.0	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.37	19.41	19.45	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.84	8.74	8.64	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.04	5.91	5.77	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.82	4.68	4.53	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.15	4.00	3.84	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.73	3.57	3.41	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.44	3.28	3.12	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.23	3.07	2.90	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.07	2.91	2.74	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	2.95	2.79	2.61	2.40
12	4.75	3.88	3.49	3.26	3.11	3.00	2.85	2.69	2.50	2.30
13	4.67	3.80	3.41	3.18	3.02	2.92	2.77	2.60	2.42	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.70	2.53	2.35	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.64	2.48	2.29	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.59	2.42	2.24	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.55	2.38	2.19	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.51	2.34	2.15	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.48	2.31	2.11	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.45	2.28	2.08	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.42	2.25	2.05	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.40	2.23	2.03	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.38	2.20	2.00	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.36	2.18	1.98	1.73
25	4.24	3.38	2.99	2.76	2.60	2.49	2.34	2.16	1.96	1.71
26	4.22	3.37	2.98	2.74	2.59	2.47	2.32	2.15	1.95	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.30	2.13	1.93	1.67
28	4.20	3.34	2.95	2.71	2.56	2.44	2.29	2.12	1.91	1.65
29	4.18	3.33	2.93	2.70	2.54	2.43	2.28	2.10	1.90	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.27	2.09	1.89	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.18	2.00	1.79	1.51
60	4.00	3.15	2.76	2.52	2.37	2.25	2.10	1.92	1.70	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.02	1.83	1.61	1.25
∞	3.84	2.99	2.60	2.37	2.21	2.09	1.94	1.75	1.52	1.00

Values of n_1 and n_2 represent the degrees of freedom associated with the between and within estimates of variance, respectively.

Source: Table V of Fisher and Yates: Statistical Tables for Biological, Agricultural and Medical Research, published by Longman Group Ltd., London (1974), 6th edition (previously published by Oliver and Boyd Ltd., Edinburgh). Reprinted by permission of Addison Wesley Longman Ltd.

APPENDIX D

p = .01

n ₁	1	2	3	4	5'	6	8	12	24	· ∞
1 4 2 3 4 5	052 98.49 34.12 21.20 16.26	4999 99.01 30.81 18.00 13.27		28.71 15.98	28.24 15.52	27.91 15.21	27.49 14.80	27.05 14.37	26.60 13.93	26.12 13.46
6 7 8 9 10	13.74 12.25 11.26 10.56 10.04	10.92 9.55 8.65 8.02 7.56	8.45 7.59 6.99	9.15 7.85 7.01 6.42 5.99	7.46 6.63 6.06	8.47 7.19 6.37 5.80 5.39	6.84 6.03 5.47	6.47 5.67 5.11	6.07	4.86 4.31
11 12 13 14 15	9.65 9.33 9.07 8.86 8.68	7.20 6.93 6.70 6.51 6.36	5.95	5.67 5.41 5.20 5.03 4.89	5.32 5.06 4.86 4.69 4.56	5.07 4.82 4.62 4.46 4.32	4.74 4.50 4.30 4.14 4.00	4.16 3.96	3.78 3.59	3.36
16 17 18 19 20	8.53 8.40 8.28 8.18 8.10	6.23 6.11 6.01 5.93 5.85	5.29 5.18 5.09 5.01 4.94	4.77 4.67 4.58 4.50 4.43	4.44 4.34 4.25 4.17 4.10	4.20 4.10 4.01 3.94 3.87	3.89 3.79 3.71 3.63 3.56	3.55 3.45 3.37 3.30 3.23	3.18 3.08 3.00 2.92 2.86	2.65 2.57
21 22 23 24 25	8.02 7.94 7.88 7.82 7.77	5.78 5.72 5.66 5.61 5.57	4.87 4.82 4.76 4.72 4.68	4.37 4.31 4.26 4.22 4.18	4.04 3.99 3.94 3.90 3.86	3.81 3.76 3.71 3.67 3.63	3.51 3.45 3.41 3.36 3.32	3.17 3.12 3.07 3.03 2.99	2.80 2.75 2.70 2.66 2.62	2.36 2.31 2.26 2.21 2.17
26 27 28 29 30	7.72 7.68 7.64 7.60 7.56	5.53 5.49 5.45 5.42 5.39	4.64 4.60 4.57 4.54 4.51	4.14 4.11 4.07 4.04 4.02	3.82 3.78 3.75 3.73 3.70	3.59 3.56 3.53 3.50 3.47	3.29 3.26 3.23 3.20 3.17	2.96 2.93 2.90 2.87 2.84	2.58 2.55 2.52 2.49 2.47	2.13 2.10 2.06 2.03 2.01
40 60 120 ∞	7.31 7.08 6.85 6.64	5.18 4.98 4.79 4.60	4.31 4.13 3.95 3.78	3.83 3.65 3.48 3.32	3.51 3.34 3.17 3.02	3.29 3.12 2.96 2.80	2.99 2.82 2.66 2.51	2.66 2.50 2.34 2.18	2.29 2.12 1.95 1.79	1.80 1.60 1.38 1.00

Values of n_1 and n_2 represent the degrees of freedom associated with the between and withinestimates of variance, respectively.